

Date : 2024-08-12

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24G29-PTH03

Customer Identification : Organic Marjoram - Egypt - MJ0111R

Type : Essential Oil

Source : *Origanum majorana* ct. Sabinene hydrate

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2024-08-06

PHYSICOCHEMICAL DATA

Refractive index : 1.473 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-07-31

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Isobutyral	tr	Aliphatic aldehyde
2-Methyl-3-buten-2-ol	tr	Aliphatic alcohol
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	0.01	Aliphatic aldehyde
2-Ethylfuran	0.01	Furan
Isoamyl alcohol	0.01	Aliphatic alcohol
2-Methylbutanol	tr	Aliphatic alcohol
Methyl 2-methylbutyrate	0.03	Aliphatic ester
Hexanal	0.01	Aliphatic aldehyde
Octane	tr	Alkane
(2E)-Hexenal	0.02	Aliphatic aldehyde
(3Z)-Hexenol	0.02	Aliphatic alcohol
(2E)-Hexenol	0.01	Aliphatic alcohol
Hexanol	0.01	Aliphatic alcohol
Isobutyl isobutyrate	0.02	Aliphatic ester
Dimethyl sulfone	tr	Aliphatic sulfone
α -Thujene	0.66	Monoterpene
α -Pinene	0.81	Monoterpene
Camphene	0.04	Monoterpene
Thujadiene isomer	0.01	Monoterpene
β -Pinene	0.47	Monoterpene
Sabinene	7.96	Monoterpene
3-Methylpentyl acetate	0.01	Aliphatic ester
Octen-3-ol	0.01	Aliphatic alcohol
Octan-3-one	0.05	Aliphatic ketone
Myrcene	2.05	Monoterpene
α -Phellandrene	0.35	Monoterpene
Pseudolimonene	0.07	Monoterpene
(3Z)-Hexenyl acetate	0.01	Aliphatic ester
α -Terpinene	8.14	Monoterpene
Carvomenthene	0.01	Aliphatic alcohol
<i>para</i> -Cymene	1.36	Monoterpene
β -Phellandrene	[1.96]	Monoterpene
Limonene	2.03	Monoterpene
1,8-Cineole	[1.96]	Monoterpenic ether
(Z)- β -Ocimene	0.03	Monoterpene
(E)- β -Ocimene	0.04	Monoterpene
γ -Terpinene	13.16	Monoterpene
<i>cis</i> -Sabinene hydrate	4.23	Monoterpenic alcohol
Terpinolene	2.99	Monoterpene

<i>trans</i> -Linalool oxide (fur.)	0.03	Monoterpenic alcohol
<i>para</i> -Cymenene	0.02	Monoterpene
<i>trans</i> -Sabinene hydrate	16.03	Monoterpenic alcohol
Unknown	tr	Oxygenated monoterpene
Linalool	0.94	Monoterpenic alcohol
Unknown	0.02	Monoterpenic alcohol
<i>trans-para</i> -Mentha-2,8-dien-1-ol	0.01	Monoterpenic alcohol
<i>cis-para</i> -Menth-2-en-1-ol	1.42	Monoterpenic alcohol
α -Campholenal	0.03	Monoterpenic aldehyde
4-Hydroxy-4-methylcyclohex-2-enone	0.01	Aliphatic alcohol
<i>trans</i> -Pinocarveol	0.07	Monoterpenic alcohol
<i>trans-para</i> -Menth-2-en-1-ol	0.83	Monoterpenic alcohol
Unknown	tr	Unknown
1,4-Dimethyl-4-acetylcyclohexene	0.03	Monoterpenic ketone
Pinocarvone	0.01	Monoterpenic ketone
Isomenthone	0.01	Monoterpenic ketone
Borneol	0.06	Monoterpenic alcohol
δ -Terpineol	0.02	Monoterpenic alcohol
Terpinen-4-ol	21.96	Monoterpenic alcohol
Cryptone	0.03	Normonoterpenic ketone
<i>para</i> -Cymen-8-ol	0.04	Monoterpenic alcohol
α -Terpineol	3.09	Monoterpenic alcohol
<i>cis</i> -Piperitol	0.32	Monoterpenic alcohol
<i>cis</i> -Dihydrocarvone	0.11	Monoterpenic ketone
Myrtenol	tr	Monoterpenic alcohol
Methylchavicol	0.07	Phenylpropanoid
Unknown	0.03	Unknown
<i>trans</i> -Piperitol	0.45	Monoterpenic alcohol
<i>trans</i> -Carveol	0.03	Monoterpenic alcohol
<i>cis</i> -Sabinene hydrate acetate?	0.05	Monoterpenic ester
Nerol	0.03	Monoterpenic alcohol
Citronellol	0.03	Monoterpenic alcohol
Unknown	0.02	Oxygenated monoterpene
Carvone	0.02	Monoterpenic ketone
Carvenone	0.03	Monoterpenic ketone
<i>trans</i> -Sabinene hydrate acetate	0.25	Monoterpenic ester
Geraniol	0.07	Monoterpenic alcohol
Linalyl acetate	1.75	Monoterpenic ester
<i>trans</i> -Ascaridole glycol	0.09	Monoterpenic alcohol
Bornyl acetate	0.03	Monoterpenic ester
<i>cis</i> -Ascaridole glycol	0.05	Monoterpenic alcohol
Terpinen-4-yl acetate	0.12	Monoterpenic ester
Thymol	0.03	Monoterpenic alcohol
Thymol analogue II	0.02	Monoterpenic alcohol
Unknown	0.03	Monoterpenic alcohol

Unknown	0.09	Monoterpenic alcohol
Bicycloelemene	0.04	Sesquiterpene
α -Terpinyl acetate	0.01	Monoterpenic ester
Eugenol	0.03	Phenylpropanoid
Neryl acetate	0.03	Monoterpenic ester
Geranyl acetate	0.05	Monoterpenic ester
β -Elemene	0.02	Sesquiterpene
β -Caryophyllene	2.39	Sesquiterpene
β -Copaene	0.01	Sesquiterpene
Aromadendrene	0.03	Sesquiterpene
α -Humulene	0.11	Sesquiterpene
allo-Aromadendrene	0.02	Sesquiterpene
Germacrene D	0.03	Sesquiterpene
Viridiflorene	0.06	Sesquiterpene
Bicyclogermacrene	1.22	Sesquiterpene
α -Muurolene	0.02	Sesquiterpene
γ -Cadinene	0.06	Sesquiterpene
δ -Cadinene	0.03	Sesquiterpene
Spathulenol	0.06	Sesquiterpenic alcohol
Caryophyllene oxide	0.08	Sesquiterpenic ether
Caryophyllene oxide isomer	0.01	Sesquiterpenic ether
Globulol	0.03	Sesquiterpenic alcohol
Viridiflorol	0.01	Sesquiterpenic alcohol
Humulene epoxide II	0.02	Sesquiterpenic ether
10-epi- γ -Eudesmol	0.02	Sesquiterpenic alcohol
Isospathulenol	0.06	Sesquiterpenic alcohol
τ -Cadinol	0.02	Sesquiterpenic alcohol
Unknown	0.02	Diterpene
Consolidated total	99.48	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value (xx): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Isobutyral	Column DB-WAX			Column DB-5		
	0.55	777.8	0.04	0.44	536.6	tr
2-Methyl-3-buten-2-ol	1.71	1013.2	tr	0.53	606.8	tr
Isovaleral	0.84	886.8	0.01	0.63	641.3	0.01
2-Methylbutyral	0.82	880.0	0.01	0.66	651.4	0.01
2-Ethylfuran	1.02	918.8	0.01	0.81	702.1	0.01
Isoamyl alcohol	3.63*	1176.0	[0.02]	1.02	732.7	0.01
2-Methylbutanol	3.63*	1176.0	[0.02]	1.04	735.9	tr
Methyl 2-methylbutyrate	1.41	977.9	0.03	1.31	774.3	0.03
Hexanal				1.50	800.1	0.01
Octane	0.56	785.5	tr	1.52	803.6	tr
(2E)-Hexenal	3.59	1172.7	0.03	2.07	849.3	0.02
(3Z)-Hexenol	6.01*	1346.6	[0.03]	2.18	857.8	0.02
(2E)-Hexenol	6.34	1370.4	0.01	2.34	871.0	0.01
Hexanol	5.65	1321.3	0.01	2.37	873.7	0.01
Isobutyl isobutyrate	2.29*	1068.0	[0.46]	2.92	915.8	0.02
Dimethyl sulfone	12.31	1843.1	tr	2.96	918.5	tr
α -Thujene	1.58	1000.3	0.66	3.07	926.0	0.66
α -Pinene	1.51	993.7	0.82	3.14	930.7	0.81
Camphene	1.87	1028.4	0.04	3.34*	943.5	[0.05]
Thujadiene isomer	2.59	1096.2	0.01	3.34*	943.5	[0.05]
β -Pinene	2.29*	1068.0	[0.46]	3.76*	971.4	[8.43]
Sabinene	2.49	1087.2	7.96	3.76*	971.4	[8.43]
3-Methylpentyl acetate	4.08*	1208.7	[13.17]	3.94*	983.6	[0.01]
Octen-3-ol	7.02	1419.3	0.01	3.94*	983.6	[0.01]
Octan-3-one	4.22	1219.2	0.06	4.00	987.1	0.05
Myrcene	3.09	1134.7	2.06	4.08	993.0	2.05
α -Phellandrene	3.00	1127.6	0.35	4.22*	1002.1	[0.42]
Pseudolimonene	3.04	1130.8	0.07	4.22*	1002.1	[0.42]
(3Z)-Hexenyl acetate	5.08	1280.8	0.02	4.34	1009.7	0.01
α -Terpinene	3.20	1142.6	8.13	4.44	1015.5	8.14
Carvomenthene	2.66	1101.4	0.01	4.49	1019.0	0.01
<i>para</i> -Cymene	4.35	1228.1	1.37	4.54	1022.3	1.36
β -Phellandrene	3.52*	1167.0	[1.96]	4.62*	1026.8	[3.99]
Limonene	3.42	1159.6	2.03	4.62*	1026.8	[3.99]
1,8-Cineole	3.52*	1167.0	[1.96]	4.62*	1026.8	[3.99]
(Z)- β -Ocimene	4.08*	1208.7	[13.17]	4.83	1040.1	0.03
(E)- β -Ocimene	4.21	1218.3	0.03	4.99	1050.1	0.04
γ -Terpinene	4.08*	1208.7	[13.17]	5.13	1058.8	13.16

<i>cis</i> -Sabinene hydrate	7.14*	1428.7	[4.26]	5.26	1066.7	4.23
Terpinolene	4.54	1242.2	2.99	5.57*	1086.3	[3.00]
<i>trans</i> -Linalool oxide (fur.)	7.14*	1428.7	[4.26]	5.57*	1086.3	[3.00]
<i>para</i> -Cymenene	6.59	1388.1	0.02	5.57*	1086.3	[3.00]
<i>trans</i> -Sabinene hydrate	8.23*	1509.5	[16.05]	5.78	1099.3	16.03
Unknown CEDE I [m/z 95, 150 (45), 110 (35), 107 (23), 109 (21)]	6.01*	1346.6	[0.03]	5.83*	1102.8	[0.94]
Linalool	8.30	1515.0	0.94	5.83*	1102.8	[0.94]
Unknown ORMA I [m/z 119, 109 (94), 43 (61), 95 (56), 91 (48), 77 (32), 152 (32), 137 (31), 134 (24)]	8.72*	1547.3	[2.48]	5.88	1106.0	0.02
<i>trans-para</i> -Mentha-2,8-dien-1-ol	9.21*	1584.6	[0.85]	6.04	1115.9	0.01
<i>cis-para</i> -Menth-2-en-1-ol	8.38*	1520.7	[3.17]	6.10	1119.9	1.42
α -Campholenal	7.27*	1438.1	[0.03]	6.13	1121.8	0.03
4-Hydroxy-4-methylcyclohex-2-enone	14.38*	2032.4	[0.10]	6.28	1131.0	0.01
<i>trans</i> -Pinocarveol	9.43	1602.1	0.08	6.33	1134.4	0.07
<i>trans-para</i> -Menth-2-en-1-ol	9.21*	1584.6	[0.85]	6.39	1138.6	0.83
Unknown MEAL II [m/z 109, 124 (45), 119 (41), 43 (35), 91 (28), 95 (25)...]	7.07	1423.5	tr	6.50*	1145.2	[0.03]
1,4-Dimethyl-4-acetylcyclohexene	7.62	1463.5	0.03	6.50*	1145.2	[0.03]
Pinocarvone	8.23*	1509.5	[16.05]	6.66	1155.6	0.01
Isomenthone	7.27*	1438.1	[0.03]	6.71	1159.0	0.01
Borneol	10.03*	1650.8	[3.13]	6.80	1164.2	0.06
δ -Terpineol	9.72	1625.3	0.03	6.84	1167.0	0.02
Terpinen-4-ol	8.86*	1557.7	[21.88]	7.01	1177.7	21.96
Cryptone	9.38	1598.4	0.02	7.05	1180.2	0.03
<i>para</i> -Cymen-8-ol	11.77	1795.1	0.04	7.13	1185.7	0.04
α -Terpineol	10.03*	1650.8	[3.13]	7.20	1190.1	3.09

<i>cis</i> -Piperitol	9.79	1631.5	0.32	7.25*	1193.5	[0.43]
<i>cis</i> -Dihydrocarvone	8.72*	1547.3	[2.48]	7.25*	1193.5	[0.43]
Myrtenol	11.11	1739.7	tr	7.25*	1193.5	[0.43]
Methylchavicol	9.58*	1614.0	[0.12]	7.33	1198.2	0.07
Unknown PIMA 7 [m/z 95, 93 (32), 121 (24), 79 (22), 91 (21), 105 (16)... 154 (2)]	11.18	1745.2	0.03	7.41	1203.5	0.03
<i>trans</i> -Piperitol	10.62*	1698.2	[0.46]	7.46	1206.6	0.45
<i>trans</i> -Carveol	11.64	1783.9	0.02	7.64	1218.8	0.03
<i>cis</i> -Sabinene hydrate acetate?				7.68	1221.7	0.05
Nerol	11.31	1756.2	0.06	7.80	1229.6	0.03
Citronellol	10.97	1727.8	0.03	7.84	1232.3	0.03
Unknown CIAU II [m/z 137, 152 (28), 43 (25), 91 (24), 109 (23), 119 (19)]	11.56	1777.2	0.03	7.87	1234.4	0.02
Carvone	10.26	1669.1	0.02	7.94	1238.5	0.02
Carvenone	10.12	1657.7	0.01	8.09	1248.8	0.03
<i>trans</i> -Sabinene hydrate acetate	7.91	1485.4	0.24	8.13	1251.4	0.25
Geraniol	11.87	1804.1	0.07	8.22*	1257.5	[1.81]
Linalyl acetate	8.38*	1520.7	[3.17]	8.22*	1257.5	[1.81]
<i>trans</i> -Ascaridole glycol	14.38*	2032.4	[0.10]	8.38	1268.1	0.09
Bornyl acetate	8.51	1531.4	0.03	8.58	1281.8	0.03
<i>cis</i> -Ascaridole glycol	15.02*	2094.5	[0.07]	8.68	1288.4	0.05
Terpinen-4-yl acetate	9.00	1568.8	0.10	8.81	1297.2	0.12
Thymol	15.41	2133.1	0.01	8.88	1301.5	0.03
Thymol analogue II	15.61	2152.6	0.03	8.90	1302.6	0.02
Unknown MEAL I analog	14.22*	2017.3	[0.03]	8.94	1305.8	0.03
Unknown MEAL I [m/z 97, 112 (92), 83 (62), 43 (44), 41 (25)... 170? (4)]	15.20*	2111.9	[0.09]	9.14	1319.9	0.09
Bicycloelemene	7.33	1442.8	0.03	9.33	1333.4	0.04
α -Terpinyl acetate	9.94	1643.5	0.05	9.52	1346.7	0.01
Eugenol	15.02*	2094.5	[0.07]	9.69	1358.3	0.03
Neryl acetate	10.44	1683.7	0.03	9.78	1365.0	0.03

Geranyl acetate	10.81	1714.5	0.06	10.05	1384.2	0.05
β-Elemene	8.72*	1547.3	[2.48]	10.12	1388.7	0.02
β-Caryophyllene	8.72*	1547.3	[2.48]	10.45	1412.8	2.39
β-Copaene	8.72*	1547.3	[2.48]	10.59	1422.9	0.01
Aromadendrene	8.86*	1557.7	[21.88]	10.72	1432.3	0.03
α-Humulene	9.58*	1614.0	[0.12]	10.90	1446.4	0.11
allo-Aromadendrene	9.26	1589.1	0.02	11.00	1453.3	0.02
Germacrene D	10.03*	1650.8	[3.13]	11.32	1477.1	0.03
Viridiflorene	9.88	1638.9	0.06	11.49*	1490.0	[1.29]
Bicyclogermacrene	10.35*	1676.6	[1.24]	11.49*	1490.0	[1.29]
α-Muurolene	10.35*	1676.6	[1.24]	11.57	1495.6	0.02
γ-Cadinene	10.62*	1698.2	[0.46]	11.73	1508.1	0.06
δ-Cadinene	10.70	1704.7	0.04	11.87	1518.9	0.03
Spathulenol	14.66	2059.3	0.08	12.53	1570.4	0.06
Caryophyllene oxide	13.05	1908.9	0.08	12.56*	1573.2	[0.07]
Caryophyllene oxide isomer	12.97	1901.5	0.01	12.56*	1573.2	[0.07]
Globulol	14.16	2011.9	0.02	12.60	1576.1	0.03
Viridiflorol	14.22*	2017.3	[0.03]	12.70	1584.4	0.01
Humulene epoxide II	13.63	1962.2	0.01	12.93	1601.9	0.02
10-epi-γ-Eudesmol	14.38*	2032.4	[0.10]	13.03	1610.3	0.02
Isospathulenol	15.69	2161.1	0.06	13.29	1631.6	0.06
τ-Cadinol	15.20*	2111.9	[0.09]	13.33	1635.3	0.02
Unknown PISI IV [m/z 257, 258 (20), 91 (19), 272 (18)]	16.54	2247.4	0.03	17.37	1993.8	0.02
Total reported		99.09%			99.43%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index