Date : 2024-12-13

Certificate of Analysis - GC Profiling

Sample Identification

Internal code : 24K29-PTH02
Customer Identification : Organic Sweet Orange - Mexico - O30115R
Type : Essential Oil
Source : *Citrus sinensis*
Customer : Plant Therapy

Checked an approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

Méthode certifiée ISO 17025:2017 Certified method

Laboratoire PhytoChemia

628 Boulevard du Saguenay Ouest, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Gas Chromatographic Analysis

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID
ISO
Results : See analysis summary (next page)
Analyst : Rachel Fontaine, B. Sc. Chimiste, 2019-109
Date : 2024-12-12

Physicochemical data

Refractive index : 1.4737 ± 0.0003 (20 °C)
Method : PC-MAT-016 - Measure of the refractive index of a liquid.
Analyst : Cindy Caron B. Sc.
Date : 2024-12-03

Conclusion

No adulterant, contaminant or diluent has been detected using this method.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Analysis Summary - Consolidated Contents

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
α-Pinene	0.52	Monoterpene
Thuja-2,4(10)-diene	0.02	Monoterpene
Sabinene	0.17	Monoterpene
β-Pinene	0.06	Monoterpene
6-Methyl-5-hepten-2-one	0.04	Aliphatic ketone
Myrcene	1.75	Monoterpene
α-Phellandrene	0.04	Monoterpene
Octanal	0.13	Aliphatic aldehyde
Δ3-Carene	0.10	Monoterpene
Limonene	93.61	Monoterpene
para-Cymene	0.02	Monoterpene
β-Phellandrene	0.28	Monoterpene
(*E*)-β-Ocimene	0.02	Monoterpene
Octanol	0.07	Aliphatic alcohol
Terpinolene	0.03	Monoterpene
Linalool	0.35	Monoterpenic alcohol
Nonanal	0.06	Aliphatic aldehyde
cis-Limonene oxide	0.01	Monoterpenic ether
cis-para-Mentha-2,8-dien-1-ol	0.01	Monoterpenic alcohol
trans-Limonene oxide	0.02	Monoterpenic ether
Citronellal	0.04	Monoterpenic aldehyde
Terpinen-4-ol	0.01	Monoterpenic alcohol
α-Terpineol	0.14	Monoterpenic alcohol
trans-Piperitol	0.01	Monoterpenic alcohol
Decanal	0.16	Aliphatic aldehyde
Octyl acetate	0.02	Aliphatic ester
Nerol	0.01	Monoterpenic alcohol
Citronellol	0.03	Monoterpenic alcohol
Neral	0.04	Monoterpenic aldehyde
Geraniol	0.01	Monoterpenic alcohol
Geranial	0.06	Monoterpenic aldehyde
Decanol	0.01	Aliphatic alcohol
Undecanal	0.01	Aliphatic aldehyde
α-Copaene	0.03	Sesquiterpene
β-Elemene	0.02	Sesquiterpene
Dodecanal	0.04	Aliphatic aldehyde
β-Caryophyllene	0.03	Sesquiterpene
β-Copaene	0.03	Sesquiterpene
Germacrene D	0.03	Sesquiterpene
Valencene	0.03	Sesquiterpene

α-Muurolene	0.01	Sesquiterpene
γ-Cadinene	0.02	Sesquiterpene
δ-Cadinene	0.03	Sesquiterpene
α-Elemol	0.01	Sesquiterpenic alcohol
β-Sinensal	0.02	Sesquiterpenic aldehyde
α-Sinensal	tr	Sesquiterpenic aldehyde
Stearic acid	0.15	Aliphatic acid
Pentamethoxyflavone isomer	0.02	Flavonoid
Tangeretin	0.13	Flavonoid
3,3',4',5,6,7,8-Heptamethoxyflavone	0.13	Flavonoid
Nobiletin	0.08	Flavonoid
Consolidated total	**98.71**	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com


DB-WAX
16.53
15.58
14.16
11.73
11.16
10.84
10.62
10.57
10.23
10.17
10.10
9.89
9.60
8.62
8.57
8.29
8.17
7.47
7.37
7.25
7.15
6.75
6.58
6.03
4.58
4.45
4.26
4.14
3.47
3.43
3.03
2.94
2.74
2.42
2.46
2.22
1.48
Time (min)
Intensity (×10^5)
20.0
17.5
15.0
12.5
10.0
7.5
5.0
2.5
0.0
0
2
4
6
8
10
12
14
16
18
20
22
24
26
28
30
32
34


DB-5
Intensity (×10^5)
Time (min)
14.68
14.03
12.17
11.84
11.71
11.56
11.42
11.25
10.56
10.37
10.41
10.05
9.84
8.94
8.49
8.38
8.21
7.92
7.82
7.79
7.56
7.42
7.15
6.92
6.60
6.31
6.23
5.84
5.79
5.54
5.39
4.97
4.67
4.29
4.23
4.20
4.06
4.00
3.73
3.36
3.12
29.19
29.12
27.06
26.87
19.06

FULL ANALYSIS DATA

	Column DB-WAX			Column DB-5		
α-Pinene	1.48	993.3	0.52	3.12	931.1	0.52
Thuja-2,4(10)-diene	2.46	1088.4	0.03	3.36	946.7	0.02
Sabinene	2.42	1085.3	0.17	3.72*	970.9	[0.18]
β-Pinene	2.22	1066.2	0.06	3.72*	970.9	[0.18]
6-Methyl-5-hepten-2-one				4.00	989.3	0.04
Myrcene	3.03	1135.2	1.78	4.06	993.3	1.75
α-Phellandrene	2.94	1128.1	0.05	4.20	1002.4	0.04
Octanal	4.58	1254.2	0.11	4.23	1004.0	0.13
Δ3-Carene	2.74	1112.5	0.10	4.29	1008.1	0.10
Limonene	3.43	1166.4	93.61	4.67*	1031.7	[93.61]
para-Cymene	4.26	1230.2	0.02	4.67*	1031.7	[93.61]
β-Phellandrene	3.47	1169.8	0.28	4.67*	1031.7	[93.61]
(*E*)-β-Ocimene	4.14	1221.7	0.02	4.97	1051.0	0.02
Octanol	8.29	1521.1	0.09	5.39	1077.3	0.07
Terpinolene	4.45	1244.9	0.03	5.54	1086.8	0.03
Linalool	8.17	1512.0	0.39	5.79	1102.3	0.35
Nonanal	6.03	1353.1	0.03	5.84	1105.3	0.06
cis-Limonene oxide	6.58	1392.6	0.01	6.23	1130.2	0.01
cis-para-Mentha-2,8-dien-1-ol	9.60*	1624.4	[0.04]	6.31*	1135.2	[0.03]
trans-Limonene oxide	6.75	1404.9	0.02	6.31*	1135.2	[0.03]
Citronellal	7.15	1435.4	0.04	6.60	1154.2	0.04
Terpinen-4-ol				6.92	1174.8	0.01
α-Terpineol	9.89*	1647.5	[0.15]	7.15	1189.0	0.14
trans-Piperitol	10.57*	1702.9	[0.02]	7.42*	1206.4	[0.17]
Decanal	7.47	1458.8	0.16	7.42*	1206.4	[0.17]
Octyl acetate	7.25	1442.4	0.02	7.56	1215.9	0.02
Nerol	11.16	1753.1	0.02	7.80	1231.7	0.01
Citronellol	10.84*	1725.8	[0.05]	7.82	1233.1	0.03
Neral	9.60*	1624.4	[0.04]	7.92	1240.0	0.04
Geraniol	11.73	1801.5	0.04	8.21	1259.6	0.01
Geranial	10.23	1675.5	0.07	8.38	1270.9	0.06
Decanol	10.84*	1725.8	[0.05]	8.49	1278.1	0.01
Undecanal				8.94	1308.5	0.01
α-Copaene	7.37	1451.7	0.03	9.84	1372.3	0.03
β-Elemene	8.57	1543.1	0.03	10.05	1387.0	0.02
Dodecanal	10.17*	1670.6	[0.04]	10.37	1409.9	0.04
β-Caryophyllene	8.62*	1546.9	[0.03]	10.41	1413.1	0.03
β-Copaene	8.62*	1546.9	[0.03]	10.56	1424.0	0.03
Germacrene D	9.89*	1647.5	[0.15]	11.25	1475.6	0.03
Valencene	10.10	1664.8	0.04	11.42	1487.9	0.03
α-Muurolene	10.17*	1670.6	[0.04]	11.56	1498.4	0.01

γ-Cadinene	10.57*	1702.9	[0.02]	11.72	1510.4	0.02
δ-Cadinene	10.62	1707.1	0.03	11.84	1519.9	0.03
α-Elemol	14.16	2023.4	0.01	12.17	1546.0	0.01
β-Sinensal	15.58	2162.6	0.02	14.02	1696.5	0.02
α-Sinensal	16.53	2260.0	0.01	14.68	1752.8	tr
Stearic acid				19.06	2169.5	0.15
Pentamethoxyflavone isomer				26.87	3122.4	0.02
Tangeretin				27.06	3141.9	0.13
3,3',4',5,6,7,8-Heptamethoxyflavone				29.12	3324.2	0.13
Nobiletin				29.19	3329.1	0.08
Total reported		98.16%			98.36%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com