

Date : 2024-01-30

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24A23-PTH03

Customer Identification : Spearmint - USA - S30113R

Type : Essential Oil

Source : *Mentha spicata*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID



Results : See analysis summary (next page)

Analyst : Alexis St-Gelais, Ph. D., Chimiste 2013-174

Date : 2024-01-30

PHYSICOCHEMICAL DATA

Refractive index : 1.4891 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-01-24

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Isobutyral	0.03	Aliphatic aldehyde
Isovaleral	0.10	Aliphatic aldehyde
2-Methylbutyral	0.06	Aliphatic aldehyde
2-Ethylfuran	0.02	Furan
Isoamyl alcohol	0.03	Aliphatic alcohol
2-Methylbutanol	0.02	Aliphatic alcohol
Ethyl 2-methylbutyrate	0.04	Aliphatic ester
(3Z)-Hexenol	0.05	Aliphatic alcohol
(2E)-Hexenol	0.03	Aliphatic alcohol
Hexanol	0.03	Aliphatic alcohol
trans-2,5-Diethyltetrahydrofuran	0.08	Furan
Hashishene	0.13	Monoterpene
α -Thujene	0.06	Monoterpene
α -Pinene	0.73	Monoterpene
3-Methylcyclohexanone	tr	Aliphatic ketone
Camphene	0.02	Monoterpene
α -Fenchene	0.01	Monoterpene
Thuja-2,4(10)-diene	0.01	Monoterpene
β -Pinene	0.87	Monoterpene
Sabinene	0.50	Monoterpene
Octen-3-ol	0.01	Aliphatic alcohol
Octan-3-one	0.08	Aliphatic ketone
Myrcene	2.26	Monoterpene
Octan-3-ol	0.90	Aliphatic alcohol
Octanal	0.01	Aliphatic aldehyde
Pseudolimonene	0.05	Monoterpene
α -Phellandrene	0.02	Monoterpene
Δ 3-Carene	0.02	Monoterpene
α -Terpinene	0.52	Monoterpene
Carvomenthene	0.01	Aliphatic alcohol
para-Cymene	0.14	Monoterpene
1,8-Cineole	1.58	Monoterpenic ether
Limonene	11.84	Monoterpene
2-Ethylhexanol	0.01	Aliphatic alcohol
(Z)- β -Ocimene	0.17	Monoterpene
(E)- β -Ocimene	0.11	Monoterpene
γ -Terpinene	0.67	Monoterpene
cis-Sabinene hydrate	0.67	Monoterpenic alcohol
Octanol	0.03	Aliphatic alcohol
para-Cymenene	0.03	Monoterpene

Terpinolene	0.14	Monoterpene
<i>trans</i> -Sabinene hydrate	0.06	Monoterpenic alcohol
Linalool	0.07	Monoterpenic alcohol
Nonanal	0.05	Aliphatic aldehyde
Octen-3-yl acetate	0.02	Aliphatic ester
<i>trans</i> - <i>para</i> -Mentha-2,8-dien-1-ol	0.07	Monoterpenic alcohol
Octan-3-yl acetate	0.19	Aliphatic ester
<i>cis</i> -Limonene oxide	0.02	Monoterpenic ether
<i>cis</i> - <i>para</i> -Mentha-2,8-dien-1-ol	0.08	Monoterpenic alcohol
Isopulegol	0.03	Monoterpenic alcohol
Menthone	0.14	Monoterpenic ketone
Isomenthone	0.09	Monoterpenic ketone
Borneol	0.05	Monoterpenic alcohol
neo-Menthol	0.08	Monoterpenic alcohol
δ -Terpineol	0.07	Monoterpenic alcohol
Menthol	0.35	Monoterpenic alcohol
Terpinen-4-ol	1.28	Monoterpenic alcohol
α -Terpineol	0.24	Monoterpenic alcohol
neoiso-Menthol	0.07	Monoterpenic alcohol
<i>cis</i> -Dihydrocarvone	1.02	Monoterpenic ketone
neo-Dihydrocarveol	0.22	Monoterpenic alcohol
Dihydrocarveol	0.40	Monoterpenic alcohol
<i>trans</i> -Dihydrocarvone	0.14	Monoterpenic ketone
iso-Dihydrocarveol ?	0.01	Monoterpenic alcohol
<i>trans</i> -Carveol	0.30	Monoterpenic alcohol
Citronellol	0.04	Monoterpenic alcohol
Pulegone	0.01	Monoterpenic ketone
<i>cis</i> -Carveol	0.23	Monoterpenic alcohol
Carvone	64.85	Monoterpenic ketone
Piperitone	0.43	Monoterpenic ketone
<i>cis</i> -Carvone oxide	0.01	Monoterpenic ketone
Isopiperitenone	0.04	Monoterpenic ketone
<i>trans</i> -Carvone oxide	0.06	Monoterpenic ketone
Decanol	0.10	Aliphatic alcohol
2-Ethylmenthone?	0.03	Aliphatic ketone
Dihydroedulan I	0.04	Terpenic ether
Menthyl acetate	0.03	Monoterpenic ester
Isomenthyl acetate	0.05	Monoterpenic alcohol
neo-Dihydrocarvyl acetate	0.03	Monoterpenic ester
Dihydrocarvyl acetate	0.28	Monoterpenic ester
iso-Dihydrocarvyl acetate	0.05	Monoterpenic ester
<i>cis</i> -Carvyl acetate	0.22	Monoterpenic ester
α -Copaene	0.06	Sesquiterpene
β -Bourbonene	1.14	Sesquiterpene
1,5-diepi- β -Bourbonene	0.11	Sesquiterpene

β-Elemene	0.12	Sesquiterpene
(Z)-Jasmone	0.28	Jasmonate
Isocaryophyllene	0.03	Sesquiterpene
β-Ylangene	0.26	Sesquiterpene
β-Caryophyllene	0.99	Sesquiterpene
β-Copaene	0.19	Sesquiterpene
Aromadendrene	0.05	Sesquiterpene
Isogermacrene D	0.14	Sesquiterpene
α-Humulene	0.16	Sesquiterpene
allo-Aromadendrene	0.02	Sesquiterpene
(E)-β-Farnesene	0.53	Sesquiterpene
Unknown	0.09	Sesquiterpene
γ-Murolene	0.04	Sesquiterpene
Germacrene D	0.78	Sesquiterpene
Bicyclogermacrene	0.07	Sesquiterpene
Viridiflorene	0.02	Sesquiterpene
α-Murolene	0.03	Sesquiterpene
δ-Cadinene	0.08	Sesquiterpene
Spathulenol	0.01	Sesquiterpenic alcohol
Caryophyllene oxide isomer	0.01	Sesquiterpenic ether
Caryophyllene oxide	0.02	Sesquiterpenic ether
Viridiflorol	0.14	Sesquiterpenic alcohol
Consolidated total	99.00	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.


Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.

DB-WAX





FULL ANALYSIS DATA

Isobutyral	Column DB-WAX			Column DB-5		
	0.54	774.1	0.06	0.45	536.3	0.03
Isovaleral	0.83	883.2	0.10	0.64	640.5	0.10
2-Methylbutyral	0.81	877.1	0.06	0.67	650.5	0.06
2-Ethylfuran	1.00	918.7	0.02	0.82	700.7	0.02
Isoamyl alcohol	3.58*†	1174.4	[0.04]	1.03	732.2	0.03
2-Methylbutanol	3.58*†	1174.4	[0.04]	1.05	735.4	0.02
Ethyl 2-methylbutyrate	1.77*	1022.1	[0.01]	2.10	849.2	0.04
(3Z)-Hexenol	5.94	1345.2	0.06	2.19	856.9	0.05
(2E)-Hexenol	6.27	1368.9	0.05	2.35	870.1	0.03
Hexanol	5.58	1319.7	0.03	2.39	872.9	0.03
<i>trans</i> -2,5-Diethyltetrahydrofuran	1.67	1012.3	0.09	2.67	895.8	0.08
Hashishene	1.47*	990.5	[0.87]	2.94	915.9	0.13
α-Thujene	1.54	999.8	0.06	3.10	926.0	0.06
α-Pinene	1.47*	990.5	[0.87]	3.17	930.9	0.73
3-Methylcyclohexanone	4.85	1266.0	0.02	3.34	942.2	tr
Camphene	1.82	1026.9	0.02	3.36*	943.5	[0.03]
α-Fenchene	1.77*	1022.1	[0.01]	3.36*	943.5	[0.03]
Thuja-2,4(10)-diene	2.42*	1083.1	[0.50]	3.46	949.8	0.01
β-Pinene	2.23	1065.5	0.87	3.79*	971.8	[1.37]
Sabinene	2.42*	1083.1	[0.50]	3.79*	971.8	[1.37]
Octen-3-ol	6.95	1417.9	0.03	3.95	981.8	0.01
Octan-3-one	4.14*	1215.5	[0.15]	4.02	986.8	0.08
Myrcene	3.03	1132.4	2.26	4.12	993.1	2.26
Octan-3-ol	6.22	1365.7	0.86	4.22	1000.1	0.90
Octanal	4.62	1250.0	0.01	4.26*	1002.5	[0.08]
Pseudolimonene	2.97	1128.1	0.05	4.26*	1002.5	[0.08]
α-Phellandrene	2.93	1124.7	0.02	4.26*	1002.5	[0.08]
Δ3-Carene	2.73	1109.7	0.02	4.34	1007.7	0.02
α-Terpinene	3.11	1138.6	0.52	4.45	1014.7	0.52
Carvomenthene	2.60	1099.9	tr	4.53	1019.4	0.01
para-Cymene	4.26	1224.0	0.13	4.58	1022.3	0.14
1,8-Cineole	3.47	1165.6	1.58	4.68*	1028.7	[13.50]
Limonene	3.37	1158.5	11.84	4.68*	1028.7	[13.50]
2-Ethylhexanol	7.48	1457.1	0.02	4.75	1033.2	0.01
(Z)-β-Ocimene	3.94	1201.1	0.16	4.86	1040.2	0.17
(E)-β-Ocimene	4.14*	1215.5	[0.15]	5.02	1049.9	0.11
γ-Terpinene	3.97	1203.4	0.68	5.14	1057.4	0.67
cis-Sabinene hydrate	7.07	1427.1	0.69	5.27	1065.7	0.67
Octanol	8.35*	1522.4	[0.29]	5.44	1076.5	0.03
para-Cymenene	6.49	1384.9	0.03	5.60*	1086.0	[0.18]
Terpinolene	4.45	1237.4	0.14	5.60*	1086.0	[0.18]

<i>trans</i> -Sabinene hydrate	8.13	1506.0	0.06	5.75	1095.8	0.06
Linalool	8.23	1513.4	0.06	5.85	1102.0	0.07
Nonanal	6.04	1352.7	0.02	5.91	1105.5	0.05
Octen-3-yl acetate	5.96	1347.0	0.01	6.07	1115.8	0.02
<i>trans</i> - <i>para</i> -Mentha-2,8-dien-1-ol	9.11	1581.4	0.05	6.12	1118.9	0.07
Octan-3-yl acetate	5.41	1307.6	0.18	6.26	1127.8	0.19
<i>cis</i> -Limonene oxide	6.60	1392.5	0.01	6.29	1129.7	0.02
<i>cis</i> - <i>para</i> -Mentha-2,8-dien-1-ol	9.63*	1622.4	[0.38]	6.36	1134.3	0.08
Isopulegol	8.35*	1522.4	[0.29]	6.49	1142.5	0.03
Menthone	6.81	1407.7	0.14	6.59	1149.0	0.14
Isomenthone	7.16	1433.9	0.05	6.75	1159.1	0.09
Borneol	9.98	1650.4	0.03	6.76	1159.8	0.05
neo-Menthol	8.75*	1553.3	[1.23]	6.82	1163.9	0.08
δ-Terpineol	9.63*	1622.4	[0.38]	6.84	1164.9	0.07
Menthol	9.30	1596.1	0.42	6.96	1172.5	0.35
Terpinen-4-ol	8.75*	1553.3	[1.23]	6.99	1174.4	1.28
α-Terpineol	10.00	1652.6	0.41	7.22	1189.2	0.24
neoiso-Menthol	9.63*	1622.4	[0.38]	7.27*	1192.4	[1.09]
<i>cis</i> -Dihydrocarvone	8.66	1546.7	1.02	7.27*	1192.4	[1.09]
neo-Dihydrocarveol	10.30	1676.9	0.37	7.30	1194.4	0.22
Dihydrocarveol	10.60*	1700.6	[0.42]	7.35*	1197.4	[0.55]
<i>trans</i> -Dihydrocarvone	8.87	1563.0	0.14	7.35*	1197.4	[0.55]
iso-Dihydrocarveol ?	10.97	1732.1	0.02	7.61	1214.8	0.01
<i>trans</i> -Carveol	11.56	1782.1	0.30	7.77	1225.5	0.30
Citronellol	10.92	1727.7	0.05	7.91	1234.6	0.04
Pulegone	9.13*	1582.8	[0.03]	7.93	1235.8	0.01
<i>cis</i> -Carveol	11.90	1811.0	0.23	8.11*	1248.1	[65.08]
Carvone	10.27*	1674.0	[64.43]	8.11*	1248.1	[65.08]
Piperitone	10.08	1659.1	0.39	8.16	1251.6	0.43
<i>cis</i> -Carvone oxide	11.03	1737.5	0.01	8.26	1258.0	0.01
Isopiperitenone	11.38*	1766.3	[0.12]	8.39	1266.9	0.04
<i>trans</i> -Carvone oxide	11.38*	1766.3	[0.12]	8.51	1274.6	0.06
Decanol	10.89	1725.5	0.11	8.54	1276.9	0.10
2-Ethylmenthone?				8.64	1283.7	0.03
Dihydroedulan I	7.24	1439.7	0.04	8.72	1288.6	0.04
Menthyl acetate	8.29*	1518.3	[0.09]	8.79	1293.1	0.03
Isomenthyl acetate	8.44	1529.3	0.06	8.94	1303.5	0.05
neo-Dihydrocarvyl acetate	9.13*	1582.8	[0.03]	8.98	1305.9	0.03
Dihydrocarvyl acetate	9.63*	1622.4	[0.38]	9.28	1327.4	0.28
iso-Dihydrocarvyl acetate				9.68	1355.6	0.05

	Spearmint - USA - S30113R				
cis-Caryl acetate	10.77	1715.0	0.23	9.77	1361.7
α-Copaene	7.34	1446.6	0.06	9.91	1371.9
β-Bourbonene	7.68	1471.9	1.14	10.03*†	1380.1
1,5-diepi-β-Bourbonene	7.56	1463.3	0.11	10.05*†	1381.4
β-Elemene	8.61*	1542.7	[1.11]	10.16	1389.2
(Z)-Jasmone	12.59	1871.9	0.28	10.22	1393.3
Isocaryophyllene	8.35*	1522.4	[0.29]	10.35	1402.9
β-Ylangene	8.29*	1518.3	[0.09]	10.49*	1413.1
β-Caryophyllene	8.61*	1542.7	[1.11]	10.49*	1413.1
β-Copaene	8.55	1538.2	0.21	10.63	1423.6
Aromadendrene	8.75*	1553.3	[1.23]	10.75	1432.1
Isogermacrene D	9.20*	1588.4	[0.16]	10.83	1438.5
α-Humulene	9.49	1611.4	0.09	10.95	1446.9
allo-Aromadendrene	9.20*	1588.4	[0.16]	11.04	1453.9
(E)-β-Farnesene	9.78*	1634.2	[0.53]	11.09	1457.8
Unknown MISC XLIX [m/z 161, 105 (56), 91 (50), 93 (36), 119 (33), 79 (31)...204 (5)]				11.12	1459.9
γ-Murolene	9.78*	1634.2	[0.53]	11.29	1472.2
Germacrene D	10.03	1654.4	0.62	11.33	1475.2
Bicyclogermacrene	10.27*	1674.0	[64.43]	11.53*	1490.3
Viridiflorene	9.88	1642.5	0.02	11.53*	1490.3
α-Murolene	10.27*	1674.0	[64.43]	11.63	1498.0
δ-Cadinene	10.60*	1700.6	[0.42]	11.91	1519.2
Spathulenol	14.58	2056.6	0.01	12.57	1571.0
Caryophyllene oxide isomer	12.88	1898.1	0.01	12.60*	1573.5
Caryophyllene oxide	12.99	1908.2	0.02	12.60*	1573.5
Viridiflorol	14.17	2017.6	0.15	12.74	1584.2
Total reported		98.00%			99.06%

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index