

Date : 2024-01-22

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24A15-PTH05

Customer Identification : Ylang Ylang Complete - Madagascar - Y10112R

Type : Essential Oil

Source : *Cananga odorata var. genuina* (Ylang-ylang)

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2024-01-18

PHYSICOCHEMICAL DATA

Refractive index : 1.5018 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-01-16

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
2-Methyl-3-buten-2-ol	0.01	Aliphatic alcohol
Ethyl acetate	0.02	Aliphatic ester
Toluene	tr	Simple phenolic
Isobutyl acetate	tr	Aliphatic ester
Hexanal	tr	Aliphatic aldehyde
Butyl acetate	0.01	Aliphatic ester
Isoamyl acetate	0.01	Aliphatic ester
2-Methylbutyl acetate	0.01	Aliphatic ester
3-Methyl-3-butenyl acetate	0.04	Aliphatic ester
Prenyl acetate	0.10	Aliphatic ester
α -Pinene	0.17	Monoterpene
Camphene	0.01	Monoterpene
Benzaldehyde	0.02	Simple phenolic
β -Pinene	0.06	Monoterpene
Sabinene	0.01	Monoterpene
6-Methyl-5-hepten-2-one	0.02	Aliphatic ketone
Myrcene	0.09	Monoterpene
(3Z)-Hexenyl acetate	0.04	Aliphatic ester
<i>para</i> -Methylanisole	2.74	Simple phenolic
1,8-Cineole	0.15	Monoterpenic ether
Limonene	0.03	Monoterpene
Benzyl alcohol	0.02	Simple phenolic
Benzeneacetaldehyde	0.01	Simple phenolic
(Z)- β -Ocimene	0.01	Monoterpene
(E)- β -Ocimene	0.02	Monoterpene
<i>cis</i> -Sabinene hydrate	0.01	Monoterpenic alcohol
<i>cis</i> -Linalool oxide (fur.)	0.02	Monoterpenic alcohol
<i>para</i> -Cresol	0.05	Simple phenolic
<i>trans</i> -Linalool oxide (fur.)	0.01	Monoterpenic alcohol
Methyl benzoate	1.49	Phenolic ester
<i>trans</i> -Sabinene hydrate	0.01	Monoterpenic alcohol
Nonanal	0.02	Aliphatic aldehyde
Linalool	6.57	Monoterpenic alcohol
Benzeneacetonitrile	0.03	Simple phenolic
<i>ortho</i> -Dimethoxybenzene	0.02	Simple phenolic
Benzyl acetate	1.68	Phenolic ester
<i>para</i> -Cresyl acetate	0.03	Phenolic ester
Ethyl benzoate	0.05	Phenolic ester
Terpinen-4-ol	0.01	Monoterpenic alcohol
α -Terpineol	0.16	Monoterpenic alcohol

Methylchavicol	0.12	Phenylpropanoid
Nerol	0.03	Monoterpenic alcohol
Neral	0.03	Monoterpenic aldehyde
Phenylethyl acetate	0.03	Phenolic ester
Geraniol	1.36	Monoterpenic alcohol
Geranial	0.07	Monoterpenic aldehyde
(E)-Anethole	0.04	Phenylpropanoid
1-Nitro-2-phenylethane	0.05	Simple phenolic
(E)-Cinnamyl alcohol	0.02	Phenylpropanoid
4-Vinylguaiacol	0.01	Simple phenolic
Benzyl butyrate	0.04	Phenolic ester
Bicycloelemene	0.14	Sesquiterpene
α -Cubebene	0.19	Sesquiterpene
Eugenol	0.58	Phenylpropanoid
Neryl acetate	0.02	Monoterpenic ester
α -Ylangene	0.16	Sesquiterpene
α -Copaene	1.09	Sesquiterpene
β -Bourbonene	0.03	Sesquiterpene
β -Cubebene	0.15	Sesquiterpene
Geranyl acetate	6.76	Monoterpenic ester
β -Elemene	0.44	Sesquiterpene
Cyperene	0.05	Sesquiterpene
Isocaryophyllene	0.01	Sesquiterpene
Methyleugenol	0.03	Phenylpropanoid
β -Caryophyllene	14.16	Sesquiterpene
Caryophylla-4(12),8(13)-diene	0.09	Sesquiterpene
β -Copaene	0.40	Sesquiterpene
Aromadendrene	0.07	Sesquiterpene
α -Guaiene	0.02	Sesquiterpene
Isogermacrene D	0.04	Sesquiterpene
(E)-Cinnamyl acetate	0.58	Phenylpropanoid ester
9-epi-Isocaryophyllene	0.01	Sesquiterpene
(E)-Isoeugenol	0.49	Phenylpropanoid
α -Humulene	3.56	Sesquiterpene
<i>cis</i> -Muurolo-4(15),5-diene	0.14	Sesquiterpene
<i>cis</i> -Cadina-1(6),4-diene	0.09	Sesquiterpene
Unknown	0.09	Unknown
<i>trans</i> -Cadina-1(6),4-diene	0.32	Sesquiterpene
Germacrene D	16.77	Sesquiterpene
γ -Muurolole	2.08	Sesquiterpene
<i>trans</i> -Muurolo-4(15),5-diene	0.04	Sesquiterpene
Prenyl benzoate	0.42	Phenolic ester
epi-Cubebol	0.04	Sesquiterpenic alcohol
Viridiflorene	0.09	Sesquiterpene
Bicyclogermacrene	1.04	Sesquiterpene

α -Muurolene	0.94	Sesquiterpene
(3Z,6E)- α -Farnesene	0.06	Sesquiterpene
δ -Amorphene	0.51	Sesquiterpene
Unknown	1.13	Sesquiterpene
δ -Guaiene	0.51	Sesquiterpene
(3E,6E)- α -Farnesene	7.88	Sesquiterpene
Cubebol	0.03	Sesquiterpenic alcohol
γ -Cadinene	0.89	Sesquiterpene
Zonarene	0.26	Sesquiterpene
<i>trans</i> -Calamenene	0.11	Sesquiterpene
δ -Cadinene	3.27	Sesquiterpene
<i>trans</i> -Cadina-1,4-diene	0.21	Sesquiterpene
α -Cadinene	0.27	Sesquiterpene
α -Calacorene	0.05	Sesquiterpene
<i>cis</i> -Dracunculifoliol	0.02	Sesquiterpenic alcohol
α -Elemol	0.08	Sesquiterpenic alcohol
Germacrene B	0.04	Sesquiterpene
(E)-Nerolidol	0.13	Sesquiterpenic alcohol
(3Z)-Hexenyl benzoate	0.02	Phenolic ester
Germacrene D-4-ol	0.06	Sesquiterpenic alcohol
Spathulenol	0.03	Sesquiterpenic alcohol
Caryophyllene oxide	0.17	Sesquiterpenic ether
Caryophyllene oxide isomer	0.03	Sesquiterpenic ether
10-epi-Junenol	0.08	Sesquiterpenic alcohol
<i>trans</i> -Dracunculifoliol	0.04	Sesquiterpenic alcohol
Unknown	0.06	Sesquiterpenic alcohol
Unknown	0.10	Oxygenated sesquiterpene
Humulene epoxide I	0.01	Sesquiterpenic ether
Guaiol	0.05	Sesquiterpenic alcohol
Copaborneol	0.06	Sesquiterpenic alcohol
Humulene epoxide II	0.06	Sesquiterpenic ether
1,10-diepi-Cubenol	0.05	Sesquiterpenic alcohol
(E)-Isoeugenyl acetate	0.02	Phenylpropanoid ester
Junenol	0.30	Sesquiterpenic alcohol
1-epi-Cubenol	0.25	Sesquiterpenic alcohol
γ -Eudesmol	0.14	Sesquiterpenic alcohol
Caryophylladienol II	0.01	Sesquiterpenic alcohol
allo-Aromadendrene epoxide?	0.07	Sesquiterpenic ether
τ -Muurolol	0.78	Sesquiterpenic alcohol
τ -Cadinol	0.36	Sesquiterpenic alcohol
Cubenol	0.12	Sesquiterpenic alcohol
α -Muurolol	0.39	Sesquiterpenic alcohol
Unknown	0.24	Sesquiterpenic alcohol
α -Cadinol	1.45	Sesquiterpenic alcohol
<i>cis</i> -Calamenen-10-ol	0.02	Sesquiterpenic alcohol

Bulnesol	0.05	Sesquiterpenic alcohol
<i>trans</i> -Calamenen-10-ol	0.01	Sesquiterpenic alcohol
Unknown	0.18	Oxygenated sesquiterpene
Eudesma-4(15),7-dien-1 β -ol	0.02	Sesquiterpenic alcohol
(2 <i>E</i> ,6 <i>Z</i>)-Farnesol	0.01	Sesquiterpenic alcohol
(2 <i>Z</i> ,6 <i>E</i>)-Farnesol	0.02	Sesquiterpenic alcohol
(2 <i>E</i> ,6 <i>E</i>)-Farnesol	1.75	Sesquiterpenic alcohol
(2 <i>E</i> ,6 <i>E</i>)-Farnesol	0.04	Sesquiterpenic aldehyde
Benzyl benzoate	5.81	Phenolic ester
Unknown	0.02	Unknown
(2 <i>E</i> ,6 <i>E</i>)-Farnesyl acetate	1.40	Sesquiterpenic ester
Unknown	0.02	Oxygenated sesquiterpene
Benzyl salicylate	1.53	Phenolic ester
Unknown	tr	Unknown
Unknown	0.02	Unknown
Geranyl benzoate	0.12	Phenolic ester
Unknown	0.06	Unknown
Consolidated total	98.16	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

2-Methyl-3-buten-2-ol	Column DB-WAX			Column DB-5		
	1.68	1013.8	0.01	0.54	606.9	0.01
Ethyl acetate	0.73	849.9	0.01	0.55	609.1	0.02
Toluene	1.56	1002.1	tr	1.23	760.0	tr
Isobutyl acetate	1.43	983.3	tr	1.32	772.1	tr
Hexanal	2.00	1043.9	tr	1.53	800.5	tr
Butyl acetate	1.95	1038.9	0.01	1.71	817.1	0.01
Isoamyl acetate	2.51	1091.3	0.01	2.45	878.3	0.01
2-Methylbutyl acetate	2.49	1089.7	0.01	2.48	880.6	0.01
3-Methyl-3-butenyl acetate	3.36	1157.9	0.04	2.56	886.7	0.04
Prenyl acetate	4.13*	1214.8	[0.14]	3.10	926.0	0.10
α -Pinene	1.48	991.6	0.16	3.18	931.1	0.17
Camphene	1.83	1027.8	tr	3.37	943.9	0.01
Benzaldehyde	7.49	1458.3	0.02	3.53	954.7	0.02
β -Pinene	2.24	1066.3	0.06	3.80*	971.9	[0.07]
Sabinene	2.43	1083.8	0.01	3.80*	971.9	[0.07]
6-Methyl-5-hepten-2-one	5.24	1293.5	0.02	4.04	987.8	0.02
Myrcene	3.03	1132.4	0.08	4.12	992.9	0.09
(3Z)-Hexenyl acetate	5.02	1277.9	0.04	4.37	1009.7	0.04
<i>para</i> -Methylanisole	6.49	1384.4	2.71	4.51	1018.1	2.74
1,8-Cineole	3.46	1165.4	0.15	4.65*	1027.2	[0.18]
Limonene	3.34	1156.5	0.03	4.65*	1027.2	[0.18]
Benzyl alcohol	11.92	1813.2	0.06	4.84	1038.6	0.02
Benzeneacetaldehyde	9.02	1574.2	0.01	4.86*	1040.1	[0.03]
(Z)- β -Ocimene	3.98	1204.6	0.01	4.86*	1040.1	[0.03]
(E)- β -Ocimene	4.13*	1214.8	[0.14]	5.02	1050.0	0.02
<i>cis</i> -Sabinene hydrate	7.09	1428.3	0.02	5.28	1066.2	0.01
<i>cis</i> -Linalool oxide (fur.)	6.72	1401.0	0.04	5.36	1071.1	0.02
<i>para</i> -Cresol	14.18	2018.7	0.05	5.60*	1086.5	[0.02]
<i>trans</i> -Linalool oxide (fur.)	7.12	1431.0	0.01	5.60*	1086.5	[0.02]
Methyl benzoate	8.82*	1559.0	[1.54]	5.68	1091.4	1.49
<i>trans</i> -Sabinene hydrate	8.19	1510.0	0.02	5.79	1098.1	0.01
Nonanal	6.05	1353.3	0.02	5.89*	1104.4	[6.64]
Linalool	8.26	1515.6	6.57	5.89*	1104.4	[6.64]
Benzeneacetonitrile	12.33*	1849.5	[0.05]	6.38	1135.9	0.03
<i>ortho</i> -Dimethoxybenzene				6.56	1147.2	0.02
Benzyl acetate	10.25*†	1672.1	[0.94]	6.81	1163.0	1.68
<i>para</i> -Cresyl acetate	10.27*†	1674.2	[0.41]	6.86	1166.2	0.03

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

Ethyl benzoate	9.51*	1612.4	[3.72]	6.88	1167.8	0.05
Terpinen-4-ol	8.76	1554.1	0.07	6.98	1174.2	0.01
α -Terpineol	10.01*†	1653.4	[9.73]	7.21	1188.9	0.16
Methylchavicol	9.51*	1612.4	[3.72]	7.32	1195.5	0.12
Nerol	11.23*	1753.9	[0.07]	7.84	1229.7	0.03
Neral	9.66	1625.0	0.03	7.98	1239.0	0.03
Phenylethyl acetate	11.23*	1753.9	[0.07]	8.21	1254.5	0.03
Geraniol	11.82	1803.8	1.41	8.26	1258.0	1.36
Geranial	10.36	1681.1	0.06	8.43	1269.4	0.07
(<i>E</i>)-Anethole	11.32*	1761.9	[0.06]	8.62	1282.3	0.04
1-Nitro-2-phenylethane	14.42	2041.0	0.04	8.78	1292.7	0.05
(<i>E</i>)-Cinnamyl alcohol	16.14*	2212.0	[1.39]	8.93	1302.6	0.02
4-Vinylguaiacol	15.35	2132.2	0.20	9.01	1308.5	0.01
Benzyl butyrate	11.87	1808.7	0.04	9.40*	1336.1	[0.12]
Bicycloelemene	7.24	1439.8	0.14	9.40*	1336.1	[0.12]
α -Cubebene	6.98	1420.1	0.17	9.56	1347.3	0.19
Eugenol	14.96	2093.5	0.63	9.68	1355.7	0.58
Neryl acetate	10.41	1685.3	0.02	9.83	1365.9	0.02
α -Ylangene	7.20	1436.9	0.07	9.85	1367.5	0.16
α -Copaene	7.35	1448.0	1.06	9.92	1372.3	1.09
β -Bourbonene	7.69	1473.0	0.05	10.02	1379.7	0.03
β -Cubebene	7.97	1493.9	0.15	10.13*	1387.4	[6.91]
Geranyl acetate	10.75*†	1713.8	[10.25]	10.13*	1387.4	[6.91]
β -Elemene	8.67*	1547.4	[14.52]	10.16	1389.7	0.44
Cyperene	7.65	1469.9	0.02	10.21	1392.6	0.05
Isocaryophyllene	8.36	1523.5	0.29	10.33	1401.2	0.01
Methyleugenol	13.49	1954.1	0.05	10.37	1404.4	0.03
β -Caryophyllene	8.67*	1547.4	[14.52]	10.53	1416.1	14.16
Caryophylla-4(12),8(13)-diene	8.82*	1559.0	[1.54]	10.58	1420.0	0.09
β -Copaene	8.67*	1547.4	[14.52]	10.64	1424.3	0.40
Aromadendrene	8.82*	1559.0	[1.54]	10.76	1433.1	0.07
α -Guaiene	8.67*	1547.4	[14.52]	10.79	1435.3	0.02
Isogermacrene D	9.14	1583.4	0.11	10.84	1438.9	0.04
(<i>E</i>)-Cinnamyl acetate	14.80	2078.1	0.58	10.89*	1442.4	[0.50]
9-epi-Isocaryophyllene	9.24	1591.0	0.01	10.89*	1442.4	[0.50]
(<i>E</i>)-Isoeugenol	16.67*	2266.5	[0.16]	10.97*	1448.5	[4.05]
α -Humulene	9.51*	1612.4	[3.72]	10.97*	1448.5	[4.05]
<i>cis</i> -Muurolo-4(15),5-diene	9.54	1615.1	0.14	11.09*	1457.4	[0.19]
<i>cis</i> -Cadina-1(6),4-diene	9.17	1586.2	0.09	11.09*	1457.4	[0.19]
Unknown CAOD VI				11.11	1459.2	0.09

[m/z 153, 93 (85), 168 (74), 125 (45), 65 (32)...]						
<i>trans</i> -Cadina-1(6),4-diene	9.46	1608.3	0.36	11.26	1470.5	0.32
Germacrene D	10.01*†	1653.4	[9.73]	11.38*	1478.9	[18.85]
γ-Muurolene	9.81	1636.8	2.08	11.38*	1478.9	[18.85]
<i>trans</i> -Muurola-4(15),5-diene	10.04*†	1655.4	[8.71]	11.41	1481.3	0.04
Prenyl benzoate	13.92	1993.7	0.27	11.47	1485.8	0.42
epi-Cubebol	12.18	1836.2	0.04	11.54*	1490.8	[1.16]
Viridiflorene	9.87	1641.7	0.09	11.54*	1490.8	[1.16]
Bicyclogermacrene	10.25*†	1672.1	[0.94]	11.54*	1490.8	[1.16]
α-Muurolene	10.21*†	1669.2	[1.90]	11.62*	1497.1	[0.99]
(3Z,6E)-α-Farnesene	10.46	1689.8	0.06	11.62*	1497.1	[0.99]
δ-Amorphene	10.11	1661.4	0.51	11.69*	1502.1	[2.15]
Unknown CAOD II [m/z 119, 41 (95), 123 (53), 80 (49), 161 (44), 105 (42)... 204 (2)]				11.69*	1502.1	[2.15]
δ-Guaiene	10.14	1663.9	0.51	11.69*	1502.1	[2.15]
(3E,6E)-α-Farnesene	10.75*†	1713.8	[10.25]	11.81*	1511.4	[8.96]
Cubebol	12.77	1887.9	0.03	11.81*	1511.4	[8.96]
γ-Cadinene	10.60*	1701.3	[1.15]	11.81*	1511.4	[8.96]
Zonarene	10.60*	1701.3	[1.15]	11.93*	1521.2	[3.64]
<i>trans</i> -Calamenene	11.43	1771.1	0.11	11.93*	1521.2	[3.64]
δ-Cadinene	10.64	1704.4	3.27	11.93*	1521.2	[3.64]
<i>trans</i> -Cadina-1,4-diene	10.88	1724.1	0.20	12.02	1528.3	0.21
α-Cadinene	11.00	1735.0	0.24	12.09	1533.6	0.27
α-Calacorene	12.31	1847.6	0.03	12.13	1536.9	0.05
<i>cis</i> -Dracunculifoliol	12.33*	1849.5	[0.05]	12.20	1541.8	0.02
α-Elemol	14.23	2023.4	0.06	12.25	1546.0	0.08
Germacrene B	11.32*	1761.9	[0.06]	12.30	1549.9	0.04
(E)-Nerolidol	13.97*	1998.3	[0.35]	12.48	1563.8	0.13
(3Z)-Hexenyl benzoate	14.59*	2057.6	[0.04]	12.51	1566.4	0.02
Germacrene D-4-ol	13.88*	1989.9	[0.19]	12.54	1568.4	0.06
Spathulenol	14.59*	2057.6	[0.04]	12.57	1570.8	0.03
Caryophyllene oxide	12.97*	1906.4	[0.21]	12.61*	1574.2	[0.29]
Caryophyllene oxide isomer	12.90	1899.3	0.03	12.61*	1574.2	[0.29]
10-epi-Junenol	12.92	1901.4	0.08	12.61*	1574.2	[0.29]
<i>trans</i> -Dracunculifoliol	12.97*	1906.4	[0.21]	12.65*	1577.2	[0.10]
Unknown cadinol or	12.49	1863.2	0.06	12.65*	1577.2	[0.10]

muurolol analog [m/z 161, 119 (77), 120 (76), 105 (73), 93 (57)... 204 (36)]						
Unknown MECA III [m/z 161, 105 (84), 43 (80), 119 (72), 93 (62), 121 (54)... 204 (38), 222 (2)]	14.15	2015.6	0.12	12.69	1580.5	0.10
Humulene epoxide I	13.36	1941.9	0.03	12.81	1590.2	0.01
Guaiol	14.34	2033.3	0.14	12.85	1593.4	0.05
Copaborneol	15.12	2109.0	0.02	12.88	1595.2	0.06
Humulene epoxide II	13.57	1961.0	0.05	12.94	1600.0	0.06
1,10-diepi-Cubenol	13.97*	1998.3	[0.35]	13.02	1606.4	0.05
(E)-Isoeugenyl acetate	17.42	2346.6	0.02	13.05*	1609.0	[0.39]
Junenol	13.81	1983.5	0.30	13.05*	1609.0	[0.39]
1-epi-Cubenol	13.97*	1998.3	[0.35]	13.21	1621.9	0.25
γ-Eudesmol	15.09*	2105.9	[0.49]	13.25	1625.6	0.14
Caryophylladienol II	16.25*	2222.5	[0.05]	13.30	1629.3	0.01
allo-Aromadendrene epoxide?	14.10	2011.1	0.14	13.32	1631.6	0.07
τ-Muurolol	15.25	2122.2	0.78	13.39*	1637.3	[1.34]
τ-Cadinol	15.09*	2105.9	[0.49]	13.39*	1637.3	[1.34]
Cubenol	13.88*	1989.9	[0.19]	13.39*	1637.3	[1.34]
α-Muurolol	15.38*	2135.5	[0.29]	13.44	1641.2	0.39
Unknown cadinol analog II [m/z 95, 121 (73), 43 (57), 79 (43), 161 (43), 109 (40)... 204 (35), 222 (2)]	15.38*	2135.5	[0.29]	13.50	1645.8	0.24
α-Cadinol	15.68	2165.0	1.46	13.55	1649.8	1.45
cis-Calamenen-10-ol	16.67*	2266.5	[0.16]	13.59	1653.3	0.02
Bulnesol	15.48	2144.6	0.05	13.67*	1660.1	[0.06]
trans-Calamenen-10-ol	17.02*	2303.1	[1.79]	13.67*	1660.1	[0.06]
Unknown CAOD I [m/z 123, 95 (31), 81 (29), 105 (27)... 222 (5)]	16.41	2239.3	0.16	13.74	1666.1	0.18
Eudesma-4(15),7-dien-1β-ol	16.25*	2222.5	[0.05]	13.90	1679.2	0.02
(2E,6Z)-Farnesol	16.67*	2266.5	[0.16]	14.12	1697.4	0.01
(2Z,6E)-Farnesol	16.87	2287.0	0.02	14.17	1701.2	0.02
(2E,6E)-Farnesol	17.02*	2303.1	[1.79]	14.41	1721.7	1.75
(2E,6E)-Farnesol	16.02	2199.2	0.05	14.61	1739.1	0.04

Benzyl benzoate	19.07	2529.9	5.80	14.82	1757.5	5.81
Unknown CAOD VII [m/z 121, 107 (86), 81 (71), 93 (71), 59 (68), 43 (67)...] (2E,6E)-Farnesyl acetate	16.14*	2212.0	[1.39]	15.27	1796.8	0.02
Unknown LYUN VII [m/z 43, 107 (97), 81 (83), 121 (77), 123 (74), 93 (73)... 220 (26)...]	20.64	2716.1	0.02	15.76	1841.0	1.40
Benzyl salicylate	20.31	2676.5	1.53	15.80	1844.6	0.02
Unknown THAR VI [m/z 91, 93 (98), 81 (92), 41 (92), 105 (86), 107 (86)...]	21.04	2765.7	0.01	15.95	1858.0	1.53
Unknown THAR VIII [m/z 123, 81 (47), 43 (35), 91 (30), 41 (27), 79 (24)...]	21.45	2817.2	0.02	16.11	1872.5	tr
Geranyl benzoate	18.95	2516.1	0.15	16.45	1903.5	0.02
Unknown CAOD XIII [m/z 326, 327 (22), 311 (17), 137 (8), 202 (7)...]				17.01	1956.6	0.12
				23.74	2697.9	0.06
Total reported		97.19%			98.32%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index